

SAFETY DATA SHEET

1. Identification

Product Identifier Gorilla Diamond Coat

Other means of identification

Product code PCS-2000

Recommended use Water based floor finish.

Recommended restrictions Professional use only.

Manufacturer/distributor/supplier/importer information

Company name Professional Cleaning Supply

Address

Tulsa 7925 E 40th St. Suite A

Tulsa, OK 74145

Phone (918) 250-9000

Oklahoma City 4301 SW 21st St.

Oklahoma City, OK 73108

Phone (405) 681-1822

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

Category 3

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Skin irritation

Eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not listed.

Label elements



Signal word Warning.

Hazard statement Causes mild skin irritation.
Causes serious eye irritation.

Precautionary statement

Prevention Wash hands and exposed skin thoroughly after handling. Wear eye protection/face

protection

Response If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice/attention.

Storage Disposal

Hazard(s) not otherwise

None.

classified (HNOC)

Supplemental information None.

3. Composition/information on ingredients

| Mixture Component(s) | | | | |
|----------------------|------------|---------|--------|--|
| Chemical name | CAS number | Purpose | % | |
| Water | 7732-18-5 | Solvent | 45-55% | |



| White Mineral Oil | 8042-47-5 | Solvent | 25-35% |
|----------------------------|-------------|--------------------|--------|
| Acrylic Copolymers | PROPRIETARY | Glossing Agent | 1-5% |
| Ethoxydiglycol | 111-90-0 | Solvent | 1-5% |
| Tris(2-butoxyethyl) | | | |
| phosphate | 78-51-3 | Plasticizer | 1-5% |
| Styrene-Acrylate Copolymer | PROPRIETARY | Leveling Agent | 1-5% |
| Proprietary Polymers | PROPRIETARY | Dispersing Agent | 1-5% |
| Fluorinated Alcohol | PROPRIETARY | Surfactant | <0.1% |
| DMDM Hydantoin | 6440-58-0 | Preservative | <0.1% |
| Silicone Emulsion Antifoam | PROPRIETARY | Anti-Foaming Agent | <0.01% |

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do.

Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

 $\label{provide general support measures and treat symptomatically. Keep victim under \\$

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

Dermatitis. Rash. Causes skin irritation and serious eye irritation.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂)

Unsuitable extinguishing

media

None known

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

Fine fieletine

Fire-fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face $\,$

protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.



Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly

to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

Environmental precautions Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

8. Exposure controls/personal protection

Occupational exposure limits

U.S. AIHA Workplace Environmental Exposure Level (WEEL) Guide

(2009)

Components Type Value

Diethylene Glycol Monoethyl TWA 25 ppm (140 mg/m³)

Ether

Biological limit values

None established

Appropriate engineering

controls

Emergency eye wash stations and showers should be readily accessible. Provide natural or

mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves

Other Wear long sleeve shirts with pants.

Respiratory protection Respiratory protection not required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State Milky liquid
Color White

Odor Characteristic
Odor threshold Not available.

pH 7-8

Melting/freezing point Not available.
Initial boiling point and 212°F (100°C)

boiling range



Flash point >212°F (100°C)
Evaporation rate Not available.
Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity 1.03
Solubility in water Soluble.
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature >212°F (100°C)

Viscosity Not available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames

Incompatible materials Reactive metals (e.g. sodium, calcium ,zinc), strong acids, oxidizing agents

Hazardous decomposition Carbon monoxide, carbon dioxide

products

11. Toxicological information

Information on likely routes

of exposure

IngestionMay result in headache and nausea.InhalationMist is irritant to respiratory tract.

Skin contact Repeated and/or prolonged skin contact causes skin irritation.

Eye contact Liquid or mist causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction, skin irritation, serious eye irritation.

Acute toxicity Causes mild skin irritation and serious eye irritation.

| Product Diamond Coat (CAS mixture) | | | | |
|--|-------------------|--------------------------|--|--|
| Exposure Classification | Route and Species | LD ₅₀ | | |
| Acute | Oral, rat | >5,000 mg/kg (estimated) | | |
| *Estimates for product may be based on additional component data not shown | | | | |

Skin corrosion/irritation Causes mild skin irritation.
Serious eye damage/ Causes serious eye irritation

irritation

Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.



Not considered a carcinogen. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity Specific target organ toxicity Not classified.

Not classified.

- single exposure

Specific target organ toxicity

Not classified.

- repeated exposure

Aspiration hazard Not considered an aspiration hazard.

12. Ecological information

| Ecotoxicity | | | | |
|--|---------------|--|--|--|
| Product Diamond Coat (CAS mixture) | | | | |
| Aquatic Receptor | Species | Test Thresholds | | |
| Crustacea | Daphnia magna | EC ₅₀ (48-hr): 2,482 mg/L (estimated) | | |
| *Estimates for product may be based on additional component data not shown | | | | |

Persistence and

No data available.

degradability

No data available. **Bioaccumulative potential**

Not available.

Mobility in soil Other adverse effects

The alkalinity of this material may have a local effect on ecosystems sensitive to changes in

pH.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations

Waste from residues/unused

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product

product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes



Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 313 (TRI reporting)

Not listed.

California Proposition 65 California Safe

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

threshold determination and Safe Harbor notification (2/2020)

16. Other information, including date of preparation or last revision

 Issue date
 3/9/2015

 Revision date
 11/24/2020

Version # 2

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0



PERSONAL PROTECTION

NFPA ratings Health: 1

Flammability: 0 Instability: 0



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by

the text.

Revision information Updated composition and HMIS/NFPA ratings in accordance with industry standards