# GORILLA

# **SAFETY DATA SHEET**

#### 1. Identification

Product Identifier Gorilla Lemon Fusion

Other means of

identification PCS-1772

**Product code** 

**Recommended use** Concentrated water-soluble deodorizer.

Recommended restrictions None.

Manufacturer information

Company name Professional Cleaning Supply

**Address** 

Tulsa 7925 E. 40<sup>th</sup> St. Suite A

Tulsa, OK 74145

Oklahoma City 4301 SW 21st St.

Oklahoma City, OK 73108

Telephone

**Tulsa** (918) 250-9000 **Oklahoma City** (405) 681-1822

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

## 2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Skin Irritant Category 2

Eye Irritant Category 2B

Environmental hazards Not classified.

OSHA defined hazards Not listed.

Label elements None.

Signal word WARNING

Hazard statement Causes skin irritation.

Causes eye irritation.

**Precautionary statement** 

**Prevention** Wash hands and exposed skin thoroughly after handling.

**Response** If skin irritation occurs: Get medical advice/attention. May cause allergic skin reaction

**IF IN EYES**: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Storage No prescriptive instruction

Disposal No prescriptive instruction

Hazard(s) not otherwise

classified (HNOC)

erwise None.

Supplemental information None.



## 3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	80-90%
Alcohol C8-12, ethoxylated	68603-25-8	Surfactant	5-10%
Dipropylene glycol	25265-71-8	Solvent	1-5%
Fragrance	PROPRIETARY	Fragrance Component	1-5%
Isopropanol	67-63-0	Solvent	1-5%
Stabilizer	PROPRIETARY	Stabilizer	1-5%
Fatty Acid Amine Complex	PROPRIETARY	Odor Neutralizing Agent	0-1%
Diammonium EDTA	20824-56-0	Chelating Agent	<0.1%
Disodium			
cocamphodipropionate	68604-71-7	Surfactant	<0.1%
Triethanolamine	102-71-6	pH Adjuster	<0.01%
cis-N-(3-Chloroallyl)-			
Hexaminium Chloride	51229-78-8	Preservative	<0.001%

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Get medical attention. Eye wash stations should be located in work area.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting. If vomiting

occurs keep head low to prevent stomach contents entering the lungs.

Dermatitis. Rash. May cause an allergic skin reaction. Pain, swelling excessive tearing and Most important

symptoms/effects, acute and

delaved

Indication of immediate medical attention and

special treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing

media

None known.

fire.

redness of the eye.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. **General fire hazards** No unusual fire or explosion hazards noted. A very small-volume component of this

product can release flammable vapor if confined and heated.



#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent

entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with detergent and water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

**Environmental precautions** Do not release into the open environment (see section 12). Avoid discharge into sewers,

surface drainage paths and other areas not consistent with package labeling.

## 7. Handling and storage

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate Precautions for safe handling

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly-closed container. Do not store in extreme temperature conditions.

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
2-propanol	STEL	500 ppm
	TWA	400 ppm

**US ACGIH Threshold Limit Values** 

Components Type Value 2-propanol STEL 400 ppm TWA 200 ppm

#### **Biological limit values**

**ACGIH Biological Exposure Indices** 

Components	Value	Determinant	Species	Sampling Time
2-propanol	40 mg/L	Acetone	Urine	End of shift at end of
				workweek.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance



of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Suggested protective materials: Nitrile and PVC rubber.

Other None.

**Respiratory protection** In case of insufficient ventilation, wear suitable NIOSH-approved respiratory protection

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SDS US

Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Physical State Liquid
Color Colorless

**Odor** Lemon citrus fragrance

Odor threshold Not available.

**pH** 6-8

Melting/freezing point 32°F (0°C)
Initial boiling point and >200°F (93°C)

boiling range

Flash point >162°F (>67°C) - Literature

Evaporation rate Not available.
Flammability Not available.

**Flammability Limits** 

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 0.99
Solubility in water Soluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

#### 10. Stability and reactivity

Material Name: Gorilla Lemon Fusion

**Reactivity** This product is stable and non-reactive under normal conditions of use.

Page 4 of 7

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames can cause product to decompose.

Incompatible materials Strong acids, strong bases, strong oxidizing agents.

**Hazardous decomposition** Aldehydes, ketones, organic acids.

products



# Information on likely routes

of exposure

IngestionExpected to be a low ingestion hazard.InhalationExpected to be a low inhalation hazard.

**Skin contact** Repeated and/or prolonged skin contact may cause slight irritation. May cause allergic skin

reaction

**Eye contact** Causes eye irritation. Prolonged eye contact may cause severe irritation.

Symptoms related to the physical, chemical and

Dermatitis. Rash. May cause an allergic skin reaction. Pain, swelling excessive tearing and

redness of the eye.

toxicological characteristics

Acute toxicity Not established.

Product Gorilla Lemon Fusion (CAS mixture)			
Exposure Classification	Route and Species	LD <sub>50</sub> /LC <sub>50</sub>	
Acute	Oral, rat	13,700 mg/kg (Estimated)	
Acute	Dermal, rabbit	>21,000 mg/kg (Estimated-literature)	
Acute	Inhalation, rat	>15,000 mg/m³ (Estimated-literature)	
*Estimates for product may be based on additional component data not shown			

Skin corrosion/irritationCauses mild skin irritation.Serious eye damage/ irritationCauses eye irritation.Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.

CarcinogenicityNot considered a carcinogen.(Ethylene oxide process contaminant - <0.0001%)</th>1 Carcinogenic to humans

IARC Monographs, Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.

Reproductive toxicity Not classified.

Specific target organ toxicity – single exposure Not classified.

Specific target organ toxicity – repeated exposure Not classified.

**Aspiration hazard** Not considered an aspiration hazard.

## 12. Ecological information

Ecotoxicity			
Product Odor Ban- Lemon (CAS mixture)			
Aquatic Receptor	Species	Test Thresholds	
Crustacea	Daphnia magna (water flea)	EC <sub>50</sub> (48-hr): <11.6 mg/L (estimated)	
Fish	Fathead minnow (Pimephales promelas)	LC <sub>50</sub> (96-hr): <29 mg/L (estimated)	
Algae	alga Scenedesmus sp.,	ErC50 (72-hr) >1,200 mg/l (Literature)	
*Estimates for product may be based on additional component data not shown			

**Persistence and** Alcohol ethoxylates are considered readily biodegradable.

degradability

**Bio-accumulative potential** No data available.

Mobility in soil Not available. Chemicals of these classes are highly water soluble and will partition readily

to water and air (2-propanol) and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils



Other adverse effects No other adverse environmental effects known (i.e. ozone depleting substance,

tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor or other

deleterious environmental effect)

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Do not release to the environment.

**Local disposal regulations** Dispose in accordance with all applicable regulations. As packaged, this product is not

believed to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have

been properly assessed and, as necessary, tested to confirm regulatory status.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

#### 14. Transport information

**DOT** Not regulated as dangerous goods.

#### 15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No

Reactivity Hazard - No

SARA 313 (TRI reporting) Not listed.

**California Proposition 65** 



#### WARNING

This product can expose you to chemicals including Diethanolamine which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

## 16. Other information, including date of preparation or last revision

 Issue date
 8/14/2020

 Revision date
 12/1/2020

Version # 2

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0





**NFPA** ratings

Health: 1 Flammability: 1 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information** 

Updated composition and HMIS/NFPA ratings in accordance with industry standards.