

1. Identification

Product Identifier	Gorilla Lime Fusion	
Other means of identification Product code	PCS-1796	
Recommended use	Concentrated water-solu	uble deodorizer.
Recommended restrictions	None.	
Manufacturer information		
Company name	Professional Cleaning Su	pply
Address		
Tulsa	7925 E. 40 th St. Suite A	
	Tulsa, OK 74145	
Oklahoma City	4301 SW 21 st St.	
	Oklahoma City, OK 7310	8
Telephone		
Tulsa	(918) 250-9000	
Oklahoma City	(405) 681-1822	
Emergency phone number	PERS	(800) 633-8253
	24 hour Emergency	(800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Skin Irritant	Category 2
	Eye Irritant	Category 2B
Environmental hazards	Not classified.	
OSHA defined hazards	Not listed.	
Label elements	None.	
Signal word	WARNING	
Hazard statement	Causes skin irritation.	
	Causes eye irritation.	
Precautionary statement		
Prevention	Wash hands and exposed sk	in thoroughly after handling.
Response	If skin irritation occurs: Get r	nedical advice/attention. May cause allergic skin reaction
	,	with water for several minutes. Remove contact lenses if tinue rinsing. If eye irritation persists: Get medical
Storage	No prescriptive instruction	
Disposal	No prescriptive instruction	
Hazard(s) not otherwise classified (HNOC)	None.	
Supplemental information	None.	



3. Composition/information on ingredients

	Mixture Co	nponent(s)	
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	80-90%
Alcohol C8-12, ethoxylated	68603-25-8	Surfactant	5-10%
Dipropylene glycol	25265-71-8	Solvent	1-5%
Fragrance	PROPRIETARY	Fragrance Component	1-5%
Isopropanol	67-63-0	Solvent	1-5%
Stabilizer	PROPRIETARY	Stabilizer	1-5%
Fatty Acid Amine Complex	PROPRIETARY	Odor Neutralizing Agent	0-1%
Diammonium EDTA	20824-56-0	Chelating Agent	<0.1%
Disodium			
cocamphodipropionate	68604-71-7	Surfactant	<0.1%
Triethanolamine	102-71-6	pH Adjuster	<0.01%
cis-N-(3-Chloroallyl)-			
Hexaminium Chloride	51229-78-8	Preservative	<0.001%

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention. Eye wash stations should be located in work area.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting. If vomiting occurs keep head low to prevent stomach contents entering the lungs.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reaction. Pain, swelling excessive tearing and redness of the eye.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted. A very small-volume component of this product can release flammable vapor if confined and heated.



6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.
Methods and materials for containment and cleaning up	Caution – spillages may be slippery.
	Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.
	Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with detergent and water to remove residual contamination.
	Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Do not release into the open environment (see section 12). Avoid discharge into sewers, surface drainage paths and other areas not consistent with package labeling.
7. Handling and storage	
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

recould be said handling	personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly-closed container. Do not store in extreme temperature conditions.

8. Exposure controls/personal protection

Components	Тур	e	Value	
2-propanol	STE	L	500 ppm	
	TW	4	400 ppm	
US ACGIH Threshold	l Limit Values			
Components	Тур	e	Value	
2-propanol	STE	L	400 ppm	
	TW	4	200 ppm	
Biological limit values				
ACGIH Biological Ex	posure Indices			
Components	Value	Determinant	Species	Sampling Time
2-propanol	40 mg/L	Acetone	Urine	End of shift at end o workweek.

controls	rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.
Individual protection measure	es, such as personal protective equipment
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance



of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and PVC rubber.

OtherNone.Respiratory protectionIn case of insufficient ventilation, wear suitable NIOSH-approved respiratory protectionThermal hazardsWear appropriate thermal protective clothing, when necessary.General hygiene
considerationsWhen using do not smoke or use chewing tobacco. Always observe good personal hygiene
measures, such as washing after handling the material and before eating, drinking, and/or
smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Liquid
Color	Colorless.
Odor	Lime citrus fragrance
Odor threshold	Not available.
рН	6-8
Melting/freezing point	32°F (0°C)
Initial boiling point and	>200°F (93°C)
boiling range	
Flash point	>162°F (>67°C) - Literature
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	0.99
Solubility in water	Soluble.
Partition coefficient	Not available.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames can cause product to decompose.
Incompatible materials	Strong acids, strong bases, strong oxidizing agents.
Hazardous decomposition products	Aldehydes, ketones, organic acids.



11. Toxicological information

Information on likely routes of exposure	
Ingestion	Expected to be a low ingestion hazard.
Inhalation	Expected to be a low inhalation hazard.
Skin contact	Repeated and/or prolonged skin contact may cause slight irritation. May cause allergic skin reaction
Eye contact	Causes eye irritation. Prolonged eye contact may cause severe irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Dermatitis. Rash. May cause an allergic skin reaction. Pain, swelling excessive tearing and redness of the eye.
Acute toxicity	Not established.

Product Gorilla Lime Fusion (CAS mixture)			
Exposure Classification	Route and Species	LD ₅₀ /LC ₅₀	
Acute	Oral, rat	13,700 mg/kg (Estimated)	
Acute	Dermal, rabbit	>21,000 mg/kg (Estimated-literature)	
Acute	Inhalation, rat	>15,000 mg/m ³ (Estimated-literature)	
*Estimates for product may be based on additional component data not shown			

Skin corrosion/irritation	Causes mild skin irritation.
Serious eye damage/ irritation	Causes eye irritation.
Respiratory sensitization	Not classified.
Skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not considered a carcinogen.
(Ethylene oxide process contaminant - <0.0001%)	1 Carcinogenic to humans
IARC Monographs, Overall Evaluation of Carcinogenicity	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	Not classified.
Specific target organ toxicity – single exposure	Not classified.
Specific target organ toxicity – repeated exposure	Not classified.
Aspiration hazard	Not considered an aspiration hazard.

12. Ecological information

Ecotoxicity			
Product Lime Fusion (CAS mixture)			
Aquatic Receptor	Species	Test Thresholds	
Crustacea	Daphnia magna (water flea)	EC ₅₀ (48-hr): <11.6 mg/L (estimated)	
Fish	Fathead minnow (Pimephales promelas)	LC ₅₀ (96-hr): <29 mg/L (estimated)	
Algae	alga Scenedesmus sp.,	ERC50 (72-hr) >1,200 mg/l (Literature)	
*Estimates for product may be based on additional component data not shown			

Persistence and degradability	Alcohol ethoxylates are considered readily biodegradable.
Bio-accumulative potential	No data available.
Mobility in soil	Not available. Chemicals of these classes are highly water soluble and will partition readily to water and air (2-propanol) and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils



Other adverse effects

SAFETY DATA SHEET

No other adverse environmental effects known (*i.e. ozone depleting substance,* tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor or other deleterious environmental effect)

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment.
Local disposal regulations	Dispose in accordance with all applicable regulations. As packaged, this product is not believed to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed and, as necessary, tested to confirm regulatory status.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT Not regulated as dangerous goods.

15. Regulatory information

SARA 302 Extremely hazardous substanceNot listed.SARA 304 Emergency release notificationNot listed.SARA 311/312 Hazard CategoriesImmediate Hazard - YesDelayed Hazard – NoFire Hazard – NoPressure Hazard – NoPressure Hazard – NoReactivity Hazard – NoSARA 313 (TRI reporting)Not listed.Not listed.

California Proposition 65



This product can expose you to chemicals including Diethanolamine which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to <u>www.P65Warnings.ca.gov</u>

16. Other information, including date of preparation or last revision

Issue date	8/21/2020
Revision date	12/1/2020
Version #	2
HMIS [®] ratings	Health: 1 Flammability: 1 Physical hazard: 0





NFPA ratings

Health: 1 Flammability: 1 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information Updated composition and HMIS/NFPA ratings in accordance with industry standards.