

1. Identification

Product Identifier Neutral Cleaner

Other means of identification

Product code PCS-2400

Recommended use Neutral cleaner for stone & grout.

Recommended restrictions Professional use only.

Manufacturer/distributor/supplier/importer

information

Company name Professional Cleaning

Supply

Address

Tulsa 7925 E 40th St. Suite A

Tulsa, OK 74145

Oklahoma City 4301 SW 21st St.

Oklahoma City, OK 73108

Telephone

 Tulsa
 (918) 250-9000

 Oklahoma City
 (405) 681-1822

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazardsFlammable LiquidsCategory 3Health hazardsEye irritationCategory 2BSkin irritationCategory 2

None.

Environmental hazards Not classified.

OSHA defined hazards

Label elements





Signal word WARNING

Hazard statement Flammable liquid and vapor.
Causes mild skin irritation.

Causes eye irritation.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/ hot surfaces. No smoking. Keep container

tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/ eye protection/ face protection. Wash hands and face thoroughly after handling.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. In case of

fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.



Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information

None.

3. Composition/information on ingredients

Mixture Component(s)				
Chemical name	CAS number	Purpose	%	
Water	7732-18-5	Solvent	75-85%	
Isopropanol	67-63-0	Solvent	10-20%	
Butoxyethanol	111-76-2	Solvent	5-10%	
Nonoxynol	127087-87-0	Surfactant	1-5%	
Fragrance	PROPRIETARY	Fragrance Component	0-1%	
d-Limonene	5989-27-5	Fragrance Component	0-1%	
Glycol Ethers	PROPRIETARY	Stabilizer	<0.1%	
Citral	5392-40-5	Fragrance Component	<0.1%	
Linalool	78-70-6	Fragrance Component	<0.01%	
Myrcene	123-35-3	Fragrance Component	<0.01%	
Geraniol	106-24-1	Fragrance Component	<0.001%	
Citronellol	106-22-9	Fragrance Component	<0.001%	

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do

so. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the

 $instruction\ of\ medical\ personnel.$

Most important symptoms/effects, acute and

delayed

 $\label{eq:definition} \textbf{Dermatitis. Rash. May cause a short term allergic skin reaction.}$

Indication of immediate medical attention and special treatment needed

Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Carbon dioxide (CO₂). Dry chemical powder, sand, or earth may be used

for small fires only.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can

become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and

grounding procedures. During fire, gases hazardous to health may be formed.



Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of

Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if

you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the open environment. Avoid discharge into storm sewers surface

drainages and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
2-propanol	STEL	500 ppm 1,225 mg/m³
	TWA	400 ppm 980 mg/m³
2-butoxyethanol	PEL	50 ppm 240 mg/m³



 Components
 Type
 Value

 2-propanol
 STEL
 400 ppm

 TWA
 200 ppm

 2-butoxyethanol
 TWA
 20 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components Value **Determinant Species Sampling Time** 40 mg/L Urine End of shift at end of 2-propanol Acetone workweek. 2-butoxyethanol 200 mg/g Creatinine Urine End of shift.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Nitrile and PVC are industry-recommended

barrier materials for listed components.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is

recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State Liquid.
Color Colorless.
Odor Citrus.

Odor threshold Not available.

pH 7-8.

Melting/freezing point 22.5°F (-5.5°C) estimated.

Initial boiling point and 210°F (99°C) estimated.

boiling range

Flash point 94.5°F (34.7 °C) estimated.

Evaporation rate Not available. **Flammability** Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

GORILLA

SAFETY DATA SHEET

Specific gravity (water=1) 0.95

Solubility in water Complete.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use. **Chemical stability** Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding

the flash point. Contact with incompatible materials.

Incompatible materials Oxidizing agents, acids.

Hazardous decomposition

products

Carbon dioxide, carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

IngestionExpected to be low ingestion hazard.InhalationProlonged inhalation may be harmful.

Skin contact May cause mild skin irritation.

Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and

toxicological characteristics

Dermatitis. Rash.

Acute toxicity Not established.

Product: Neutral Cleaner (CAS mixture)			
Exposure Classification	Route and Species	LD50 LD50	
Acute	Oral, rat	11,823.9 mg/kg (estimated)	
Acute	Dermal, rabbit	64,377.6 mg/kg (estimated)	
*Estimates for product may be based on additional component data not shown			

Skin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/ irritationDirect contact with eyes may cause temporary irritation.

Respiratory sensitization Not available. **Skin sensitization** Not available.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not expected to be a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicityThis product is not expected to cause reproductive or

developmental effects.

Specific target organ toxicity – single exposureNot classified.Specific target organ toxicity – repeated exposureNot classified.Aspiration hazardNot classified.



Ecotoxicity				
Product Neutral Cleaner (CAS mixture)				
Aquatic Receptor	Species	Test Threshold		
Crustacea	Daphnia magna (water flea)	EC ₅₀ (48-hr): 16,560 (estimated)		
Fish	Oncorhynchus mykiss	LC ₅₀ (96-hr): 20,529 (estimated)		
*Estimates for product may be based on additional component data not shown				

Persistence and No data available. Chemicals of this class are not expected to be persistent in an open,

degradability aerobic environment

Bioaccumulative potential Potential to bioaccumulation is expected to be low in open biological systems

Mobility in soil No data available for this product compound. Chemicals of these classes are expected to

exhibit moderate to high mobility in saturated and semi-saturated soils.

Other adverse effects No data available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

USDOT

UN number UN1993

UN proper shipping

name

Flammable liquids, n.o.s. (Contains: Isopropanol)

Transport hazard

class(es)

Class 3
Subsidiary risk Packaging group III

Special precautions for

user

Read safety instructions, SDS, and emergency procedures before handling.

Marine pollutant No

Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

DOT Package Label or Placard

This product is not intended to be transported in bulk.

GORILLA

SAFETY DATA SHEET



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 313 (TRI reporting)

2-butoxyethanol (Glycol ether category)

California Proposition 65



WARNING

This product can expose you to chemicals including Myrcene which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

16. Other information, including date of preparation or last revision

 Issue date
 8/21/2014

 Revision date
 12/3/2020

Version # 3

HMIS® ratings Health: 2

Flammability: 3 Physical hazard: 0



NFPA ratings Health:2

Flammability: 3 Instability: 0





Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by

the text

Revision information Updated composition and HMIS/NFPA ratings in accordance with industry standards.