

SAFETY DATA SHEET

1. Identification

Product Identifier Red Out

Other means of identification

Product code PCS-3425

Recommended useRed stain remover.Recommended restrictionsProfessional use only.Manufacturer/distributor/supplier/importer information

Company name Professional Cleaning Supply

Address

Tulsa 7925 E 40th St. Suite A

Tulsa, OK 74145

Phone (918) 250-9000

Oklahoma City 4301 SW 21st St.

Oklahoma City, OK 73108

Phone (405) 681-1822

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Flammable Liquids Category 3

Health hazards Acute toxicity, oral Category 5

Skin irritation Category 2
Serious eye damage Category 1
Aspiration hazard. Category 1

Environmental hazards Not classified.

OSHA defined hazards None.

Label elements



Signal word Danger

Hazard statement Flammable liquid and vapor.

May be harmful if swallowed.

Causes skin irritation. Causes eye irritation.

May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/ hot surfaces. No smoking. Keep container

tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. Wash hands and exposed skin thoroughly after handling.

Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash with plenty

soap and water. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Call a POISON CENTER/doctor/medical professional if you feel unwell. Specific treatment: See section 4 on the Safety Data Sheet). If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES:

SDS US
Material Name: Red Out
Page 1 of 8



Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. IF SWALLOWED: Immediately call a POISON CENTER/doctor/medical

professional. Do NOT Induce vomiting.

Storage Store in a well-ventilated place. Keep cool. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

Hazard(s) not otherwise classified (HNOC)

None.

Supplemental information

None.

3. Composition/information on ingredients

Mixture Component(s)				
Chemical name	CAS number	Purpose	%	
Water	7732-18-5	Solvent	65-75%	
Isopropanol	67-63-0	Solvent	20-30%	
Sodium metabisulfite	7681-57-4	Bleaching Agent	5-15%	
Ammonium Hydroxide	1336-21-6	pH Adjuster	1-5%	
Nonoxynol	127087-87-0	Surfactant	0-1%	
Sodium sulfite	7757-83-7	Preservative	<0.1%	
Sodium sulfate	7757-82-6	Viscosity Increasing Agent	<0.1%	
Glycol Ethers	PROPRIETARY	Stabilizer	<0.1%	

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so.

Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the Ingestion

Dermatitis. Rash. May cause an allergic skin reaction.

instruction of medical personnel.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Carbon dioxide (CO₂). Dry chemical powder, sand, or earth may be used for

small fires only.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. During fire, gases hazardous to health may be formed.

SDS US Material Name: Red Out Page 2 of 8



Special protective equipment

and precautions for

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

firefighters Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you

can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
2-propanol	STEL	500 ppm 1,225 mg/m³
	TWA	400 ppm 980 mg/m³
US ACGIH Threshold Limit	Values	
Components	Туре	Value
2-propanol	STEL	400 ppm
	TWA	200 ppm

Material Name: Red Out Page 3 of 8



Biological limit values

ACGIH Biological Exposure Indices

ComponentsValueDeterminantSpeciesSampling Time2-propanol40 mg/LAcetoneUrineEnd of shift at end of

workweek.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State Clear liquid.
Color Colorless.
Odor Citrus.

Odor threshold Not available.

pH 7-9.

Melting/freezing point 22.5°F (-5.5°C) estimated.

Initial boiling point and 210°F (99°C) estimated.

boiling range

Flash point 83.7°F (28.7 °C) estimated.

Evaporation rate Not available.
Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 1.0

Solubility in water Complete.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.



10. Stability and reactivity

ReactivityThis product is stable and non-reactive under normal conditions of use. **Chemical stability**Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Oxidizing agents, acids.

Hazardous decomposition

products

Carbon dioxide, carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

IngestionDo not ingest. May be harmful if swallowed.InhalationDo not breathe vapors. May cause dizziness.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage. See Section 8 for personal protection.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash.

Acute toxicity May be harmful if swallowed.

Product - Red Out (CAS mixture)				
Exposure Classification	Route and Species	LD ₅₀		
Acute	Oral, rat	3,525 mg/kg estimated		
Acute	Inhalation, rat	>2,000 mg/L estimated		
*Estimates for product may be based on additional component data not shown				

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/ Causes serious eye damage.

irritation

Respiratory sensitizationNot available.Skin sensitizationNot available.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not expected to be a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

12. Ecological information

Ecotoxicity				
Product	Red Out (CAS mixture)			
Aquatic		Species	Test Results	
Crustacea	3	Daphnia (water flea)	EC ₅₀ (48-hr): 265 mg/L (estimated)	



Fish Oncorhynchus mykiss LC₅₀ (96 hr): 35 mg/L (estimated)
*Estimates for product may be based on additional component data not shown

Persistence and degradability No data available.

Bioaccumulative potential Potential to bioaccumulation is expected to be low.

Mobility in soil No data available.

Other adverse effects May be harmful to aquatic life. .

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN number UN1993

UN proper shipping name Flammable liquids, n.o.s. (Contains: Isopropanol)

Transport hazard class(es)

Class 3
Subsidiary risk Packaging group III

Special precautions for

user

Read safety instructions, SDS, and emergency procedures before handling.

Marine pollutant No

Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

DOT

This product is not intended to be transported in bulk.



SDS US Material Name: Red Out Page **6** of **8**



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - Yes

Pressure Hazard - No

Reactivity Hazard - No

SARA 313 (TRI reporting)

Not listed.

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

threshold determination and Safe Harbor notification (1/2019)

16. Other information, including date of preparation or last revision

 Issue date
 5/20/2015

 Revision date
 12/7/2020

Version # 2

HMIS® ratings Health: 2

Flammability: 2 Physical hazard: 0



PERSONAL PROTECTION

NFPA ratings Health: 2

Flammability: 2 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is

Material Name: Red Out



designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

First issue.

Material Name: Red Out Page 8 of 8