

# SAFETY DATA SHEET

### 1. Identification

Product Identifier	Super Nova Alkaline Stone &	Grout
Other means of identification Product code	PCS-2420	
Recommended use	Stone and grout cleaner.	
<b>Recommended restrictions</b>	Professional use only.	
Manufacturer/distributor/supplier/importer information		
Company name	Professional Cleaning Supply	
Address		
Tulsa	7925 E 40 <sup>th</sup> St. Suite A	
	Tulsa, OK 74145	
Oklahoma City	4301 SW 21 <sup>st</sup> St.	
	Oklahoma City, OK 73108	
Telephone		
Tulsa	(918) 250-9000	
Oklahoma City	(405) 681-1822	
Emergency phone number	PERS	(800) 633-8253
	24 hour Emergency	(800) 633-8253

### 2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 5
	Skin corrosion	Category 1
	Eye damage	Category 1
Environmental hazards	Not listed.	
OSHA defined hazards	Not listed.	
Label elements		
Signal word	Danger	
Hazard statement	May be harmful if swallowed.	
	Causes severe skin burns and e	eye damage.
Precautionary statement		
Prevention		Wash hands and exposed skin thoroughly after handling. tive clothing/eye protection/face protection.
Response	Call a POISON CENTER/doctor/medical professional if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower/ Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see section 4 on the Safety Data Sheet.) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Storage	Store locked up.	
Disposal	Dispose of contents/container	in accordance with local/regional/national/international



Hazard(s) not otherwiseNone.classified (HNOC)Supplemental informationNone.

### 3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	70-80%
2-butoxyethanol	111-76-2	Solvent	5-15%
Nonylphenol	127087-87-0	Surfactant	1-5%
Sodium Xylene Sulfonate	1300-72-7	Coupling Agent	1-5%
Sodium metasilicate			
pentahydrate	6834-92-0	Chelating Agent	1-5%
Sodium carbonate	497-19-8	Detergent Additive	1-5%
C8-10 Ethoxylate Phosphate	68130-47-2	Surfactant	1-5%
Potassium Hydroxide	1310-58-3	Builder	1-5%
Tetrasodium EDTA	64-02-8	Chelating Agent	1-5%
Sodium Sulfate	7757-82-6	Viscosity Increasing Agent	0-1%
Glycol Ethers	PROPRIETARY	Stabilizer	0-1%
Sodium glycolate	2836-32-0	Buffering Agent	<0.1%
Trisodium NTA	5064-31-3	Chelating Agent	<0.1%
Sodium hydroxide	1310-73-2	pH Adjuster	<0.1%

### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention. Eye wash stations should be located in work area.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.



Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.
Methods and materials for containment and cleaning up	Caution – spillages may be slippery.
	Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Do not release into the environment (see section 12). Avoid discharge into areas not consistent with package labeling.

## 7. Handling and storage

Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Do not store in extreme conditions.

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US OSHA Table Z-1 Limits	s for Air Contaminant	s (29 CFR 1910.1000)		
Components	Туре		Value	
2-butoxyethanol	PEL		50 ppm	
Potassium hydroxide	PEL		2 mg/m <sup>3</sup>	
US ACGIH Threshold Limi	t Values			
Components	Туре		Value	
2-butoxyethanol	STEL		20 ppm	
Potassium hydroxide	STEL		2 mg/m <sup>3</sup>	
Biological limit values				
ACGIH Biological Exposur	re Indices			
Components	Value	Determinant	Species	Sampling Time
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.
Appropriate engineering controls	Emergency eye mechanical vent		rs should be readily acc	essible. Provide natural or
Individual protection measu	ures, such as personal	protective equipment		
- 11				1



Hand protection	Wear appropriate chemical resistant gloves.
Other	None.
<b>Respiratory protection</b>	Respiratory protection not required.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

Appearance	
Physical State	Liquid.
Color	•
	Colorless.
Odor	Sweet.
Odor threshold	Not available.
рН	13.5
Melting/freezing point	Not available.
Initial boiling point and	>212°F (100°C)
boiling range	
Flash point	>212°F (100°C)
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.05
Solubility in water	Soluble
Partition coefficient	Not available.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

# 10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames can cause product to decompose.
Incompatible materials	Strong acids, strong bases, strong oxidizing agents.
Hazardous decomposition products	Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

## **11.** Toxicological information

Information on likely routes of exposure	
Ingestion	Corrosive to mucous membranes, will damage tissue if there is prolonged contact.



InhalationExpected to be a low inhalation hazard.Skin contactRepeated and/or prolonged skin contact will cause irritation and/or burns.Eye contactCauses severe eye damage. May cause severe corneal injury.Symptoms related to the<br/>physical, chemical andDermatitis. Rash. May cause an allergic skin reaction.

toxicological characteristics

Acute toxicity This product is harmful if swallowed.

Product - Super Nova Alkaline Stone & Grout (CAS mixture)		
Exposure Classification	Route and Species	LD50 /LC50
Acute	Oral, rat	3,150 mg/kg estimated
Acute	Dermal, rabbit	>5,000 mg/kg estimated
*Estimates for product may be b	ased on additional component data not s	shown

Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/ irritation	Causes serious eye damage.
Respiratory sensitization	Not classified.
Skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated	Substances (29 CFR 1910.1001-1050)
Not Listed.	
Reproductive toxicity	Not classified.
Specific target organ toxicity – single exposure	Not classified.
Specific target organ toxicity – repeated exposure	Not classified.
Aspiration hazard	Not considered an aspiration hazard.

## 12. Ecological information

Ecotoxicity		
Product Super Nova All	caline Stone & Grout (CAS mixture)	
Aquatic	Species	LC <sub>50</sub>
Fish	Fathead Minnow	80 mg/L estimated
Crustacea	Daphnia magna	170 mg/L estimated
*Estimates for product may be based on additional component data not shown		

Persistence and degradability	Nonionic surfactant: not considered readily biodegradable, but doesn't mean this material isn't biodegradable under certain environmental conditions.
Bioaccumulative potential	No data available.
Mobility in soil	Not available.
Other adverse effects	The pH of this product may cause it to be toxic to aquatic and terrestrial organisms.

## **13.** Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment.
Local disposal regulations	Dispose in accordance with all applicable regulations



Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

# 14. Transport information

DOT

UN number	UN1760
UN proper shipping name	Corrosive Liquids, n.o.s. (Contains: Potassium Hydroxide)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not intended to be transported in bulk.
DOT	



# 15. Regulatory information

ardous substance
ease notification
tegories
es
0
col Ether Category)
<b>California Safe Drinking Water and Toxic Enforcement Act of 1986</b> This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)



## 16. Other information, including date of preparation or last revision

Issue date Revision date Version #	6/8/2017 12/8/2020 3
HMIS <sup>®</sup> ratings	Health: 2 Flammability: 0 Physical hazard: 0 HEALTH 2 FLAMMABILITY 0 REACTIVITY 0 PERSONAL 0
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.
Revision information	Updated composition and HMIS/NFPA ratings in accordance with industry standards