

SAFETY DATA SHEET

1. Identification

Product Identifier Gorilla Traffic Control

Other means of identification

Product code PCS-3010

Recommended use Low foam cleaner, or use in hot water extraction machines.

Recommended restrictions Professional use only.

Manufacturer/distributor/supplier/importer information

Company name Professional Cleaning Supply

Address

Tulsa 7925 E 40th St. Suite A

Tulsa, OK 74145

Phone (918) 250-9000

Oklahoma City 4301 SW 21st St.

Oklahoma City, OK 73108

Phone (405) 681-1822

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Serious eye damage

Serious eye damage Category 1
Skin irritant Category 2

Environmental hazards Not classified.

OSHA defined hazards Not listed.

Label elements



Signal word Danger

Hazard statement Causes serious eye damage.

Causes skin irritation.

Precautionary statement

Prevention Wear eye protection/face protection. Wash hands and exposed skin thoroughly after

handling. Wear protective gloves.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a $\ensuremath{\mathsf{POISON}}$

CENTER/doctor/medical professional. IF ON SKIN: Wash with plenty of water for at least 15 minutes. Specific treatment (see section 4 on the Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it

before reuse.

Storage Disposal

Hazard(s) not otherwise

None.

classified (HNOC)

Supplemental information None.



3. Composition/information on ingredients

Mixture Component(s)				
Chemical name	CAS number	Purpose	%	
Water	7732-18-5	Solvent	85-95%	
Pentasodium Triphosphate	7758-29-4	Chelating Agent	1-5%	
Butoxyethanol	111-76-2	Solvent	1-5%	
Nonoxynol	127087-87-0	Surfactant	1-5%	
Tetrasodium EDTA	64-02-8	Chelating Agent	1-5%	
Sodium Metasilicate	6834-92-0	Chelating Agent	0-1%	
Fragrance	PROPRIETARY	Fragrance Component	0-1%	
Sodium glycolate	2836-32-0	Buffering Agent	<0.1%	
Trisodium NTA	5064-31-3	Chelating Agent	<0.1%	
Sodium hydroxide	1310-73-2	pH Adjuster	<0.1%	
Glycol Ethers	PROPRIETARY	Stabilizer	<0.1%	
d-Limonene	5989-27-5	Fragrance Component	<0.1%	
Silicone Emulsion Antifoam	PROPRIETARY	Anti-Foaming Agent	<0.001%	
Myrcene	123-35-3	Fragrance Component	<0.001%	

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Get medical attention. Eye wash stations should be located in work area.

Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting. Ingestion

Dermatitis. Rash. May cause an allergic skin reaction.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of

fire.

Fire-fighting

Specific methods

Move containers from fire area if you can do so without risk.

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.



Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face

protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

Environmental precautions Do not release into the environment (see section 12). Avoid discharge into areas not

consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities Store in original tightly closed container. Do not store in extreme conditions.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Components Type 2-butoxyethanol PEL 50 ppm

US ACGIH Threshold Limit Values

Components Value Type STEL 2-butoxyethanol 20 ppm

Biological limit values

ACGIH Biological Exposure Indices

Determinant Sampling Time Components Value Species 2-butoxyethanol 200 mg/g Creatinine Urine End of shift.

Appropriate engineering

Emergency eye wash stations and showers should be readily accessible. Provide natural or

mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Skin protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Hand protection Wear appropriate chemical resistant gloves.

Other Wear long sleeve shirts with pants.

Respiratory protection Respiratory protection not required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.



General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State Liquid.
Color Colorless.
Odor Fresh.

Odor thresholdNot available.pH12-13Melting/freezing point32°F (0°C)

Initial boiling point and

boiling range

>212°F (100°C)

Flash point >212°F (100°C)
Evaporation rate Not available.
Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 1.0
Solubility in water Soluble
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoidHeat, flames can cause product to decompose.Incompatible materialsStrong acids, strong bases, strong oxidizing agents.

Hazardous decomposition Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

products

11. Toxicological information

Information on likely routes

of exposure

Ingestion Corrosive to mucous membranes, will damage tissue if there is prolonged contact.

Inhalation Expected to be a low inhalation hazard.

Skin contact Repeated and/or prolonged skin contact may cause irritation and/or burns.

Eye contact Causes severe eye damage. May cause severe corneal injury.



Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity Expected to have a low toxicity.

Product - Gorilla Traffic Control (CAS mixture)				
Exposure Classification	Route and Species	LD ₅₀		
Acute	Oral, rat	19,000 mg/kg estimated		
*Estimates for product may be based on additional component data not shown				

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/

Causes serious eye damage.

irritation

Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity
Specific target organ toxicity

Not classified. Not classified.

- single exposure

Specific target organ toxicity

Not classified.

- repeated exposure

Aspiration hazard Not considered an aspiration hazard.

12. Ecological information

Ecotoxicity				
Product Gorilla Traffic Control (CAS mixture)				
Aquatic	Species	Test Results		
Crustacea	Daphnia (water flea)	EC ₅₀ (48-hr): 480 mg/L (estimated)		
Fish	Oncorhynchus mykiss	LC ₅₀ (96-hr): 195 mg/L (estimated)		
*Estimates for product may	be based on additional component data n	ot shown		

Persistence and

No data available.

degradability

Bioaccumulative potential No data available. **Mobility in soil** Not available.

Other adverse effects The pH of this product may cause it to be toxic to aquatic and terrestrial organisms.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Do not release to the environment.

Local disposal regulations

Dispose in accordance with all applicable regulations

Waste from residues/unused product

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner.

(See: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.



14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 313 (TRI reporting)

2-butoxyethanol (Glycol Ether Category)

California Proposition 65



WARNING

This product can expose you to chemicals including Myrcene which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

16. Other information, including date of preparation or last revision

 Issue date
 1/28/2015

 Revision date
 12/9/2020

Version # 2

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0



NFPA ratings Health: 2

Flammability: 0 Instability: 0





Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

Updated composition and HMIS/NFPA ratings in accordance with industry standards