# GORILLA TRUCK BOX

## **SAFETY DATA SHEET**

### 1. Identification

Product Identifier UTA Neutralizer Concentrate

Other means of identification

Product code PCS-3415
Recommended use Neutralizer.

**Recommended restrictions** Professional use only. Use as directed.

Manufacturer/distributor/supplier/importer information

Company name Professional Cleaning Supply

**Address** 

Tulsa 7925 E 40<sup>th</sup> St. Suite A

Tulsa, OK 74145

Oklahoma City 4301 SW 21st St.

Oklahoma City, OK 73108

Telephone

**Tulsa** (918) 250-9000 **Oklahoma City** (405) 681-1822

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

## 2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Serious eye damage Category 2B

Skin irritant Category 2

Environmental hazards Not classified.

OSHA defined hazards Not listed.

**Label elements** 



Signal word DANGER

**Hazard statement** Causes severe eye irritation.

Causes skin irritation.

**Precautionary statement** 

**Prevention** Wear eye protection/face protection. Wash hands and exposed skin thoroughly after

handling. Wear protective gloves.

**Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor/medical professional.

IF ON SKIN: Wash with plenty of water for at least 15 minutes. Specific treatment (see

section 4 on the Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage No prescriptive instruction.

Disposal No prescriptive instruction

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information None.



### 3. Composition/information on ingredients

	Mixture Component(s)		
Chemical name	CAS number		%
Water	7732-18-5	Solvent	85-95%
Citric Acid	77-92-9	pH Adjuster	1-5%
Phosphoric Acid	7664-38-2	pH Adjuster	1-5%
Nonoxynol	127087-87-0	Surfactant	1-5%
Fragrance	PROPRIETARY	Fragrance Component	0-1%
Sodium Xylene Sulfonate	1300-72-7	Coupling Agent	0-1%
Glycol Ethers	PROPRIETARY	Stabilizers	<0.1%
Sodium Sulfate	7757-82-6	Viscosity Increasing Agent	<0.1%

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

cause an allergic skin reaction.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Redness, swelling and excessive tearing of the eyes. Mils burning sensation – skin. May

**Eye contact** Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Get medical attention. Eye wash stations should be located in work area.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.

Most important

symptoms/effects, acute and

Indication of immediate

special treatment needed

medical attention and

delayed

Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for

firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire

ghters

Fire-fighting

Move containers from fire area if you can do so without risk.

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.

protection

Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent

entry into waterways, sewer, basements or confined areas.



Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

**Environmental precautions** Do not release into the environment (see section 12). Avoid discharge into surface drainage

paths and other areas not consistent with package labeling.

## 7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

## 8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

**US ACGIH Threshold Limit Values** 

ComponentsTypeValuePhosphoric acidSTEL $3 \text{ mg/m}^3$ 

Biological limit values No information.

Appropriate engineering

controls

Emergency eye wash stations and showers should be readily accessible. Provide natural or

mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

**Skin protection** 

**Hand protection** The use of gloves impervious to the specific material handled is advised to prevent skin

contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Suggested protective materials: Nitrile and PVC rubber.

**Other** Wear long sleeve shirts with full-length pants.

**Respiratory protection**Respiratory protection not required for prescribed use of this product **Thermal hazards**Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

**Appearance** 

Physical State Liquid.

# GORILLA

## **SAFETY DATA SHEET**

**Color** Colorless

Odor Cucumber melon
Odor threshold Not available.

**pH** 1-2

Melting/freezing point Not available.

Initial boiling point and >212°F (100°C)

boiling range

Flash point Not applicable.
Evaporation rate Not available.
Flammability Not available.

**Flammability Limits** 

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 1.05
Solubility in water Soluble
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

### 10. Stability and reactivity

**Reactivity** This product is stable and non-reactive under normal conditions of use.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames can cause product to decompose.

Incompatible materials Strong acids, strong bases, strong oxidizing agents.

Hazardous decomposition

products

Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

### 11. Toxicological information

Information on likely routes

of exposure

**Ingestion** Corrosive to mucous membranes, will damage tissue if there is prolonged contact.

**Inhalation** Expected to be a low inhalation hazard.

**Skin contact** Repeated and/or prolonged skin contact causes irritation and/or burns.

**Eye contact** Causes severe eye damage. May cause severe corneal injury.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity Not classified.

Product UTA Neutralizer Concentrate (CAS mixture)				
Exposure Classification	Route and Species	LD <sub>50</sub>		
Acute	Oral, rat	> 14,200 mg/kg (estimated)		
*Estimates for product may be based on additional component data not shown				



Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitization Not classified. Skin sensitization Not classified. Germ cell mutagenicity Not classified.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed Reproductive toxicity Not classified. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.

**Aspiration hazard** Not considered an aspiration hazard.

### 12. Ecological information

Ecotoxicity				
Product UTA Neutralizer Concentrate (CAS mixture)				
Aquatic Receptor	Species	Test Thresholds		
Crustacea	Daphnia (Water flea)	EC <sub>50</sub> (48-hr): 407mg/L estimated		
Fish	Fathead minnow (Pimephales promelas)	LC <sub>50</sub> (96-hr): 179 mg/L estimated		
*Estimates for product may be based on additional component data not shown				

Persistence and degradability

Nonylphenol ethoxylates are not considered readily biodegradable; however this does not

mean they aren't biodegradable under certain conditions.

Bio=accumulative potential

No data available.

Mobility in soil Not available. Chemicals of these classes are highly water soluble and will partition readily

> to water and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils, particularly ionic fractions

of inorganic acid

Other adverse effects The pH of this product may cause it to be toxic to aquatic and terrestrial organisms. No

> other adverse environmental effects known (i.e. ozone depleting substance, tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor or other deleterious

environmental effect)

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Do not release to the environment.

Local disposal regulations Dispose in accordance with all applicable regulations. As packaged, this product may meet

criteria defining RCRA corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have

been properly assessed and, as necessary, tested to confirm regulatory status.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(See: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

### 14. Transport information

**USDOT** 



UN number UN1760

**UN proper shipping name** Corrosive Liquids, n.o.s. (Contains: Phosphoric acid.)

Not intended to be transported in bulk.

Transport hazard class(es)

Class 8
Subsidiary risk Packaging group III
Marine pollutant No

Special precautions for user

Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Annex II of MARPOL 73/78 an the IBC Code

the IBC Code
DOT Label/Placard



## 15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard – No Fire Hazard – No Pressure Hazard – No Reactivity Hazard – No

SARA 313 (TRI reporting) 2-butoxyethanol (Glycol Ether Category)

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

threshold determination and Safe Harbor notification (1/2019)

## 16. Other information, including date of preparation or last revision

 Issue date
 3/11/2015

 Revision date
 12/9/2020

Version # 3
HMIS® ratings H

Health: 2 Flammability: 0



Physical hazard: 0

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	

**NFPA** ratings

Health: 2 Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information** 

Updated composition and HMIS/NFPA ratings in accordance with industry standards.