

1. Identification

Product Identifier Odor Eraser EXTREME

Other means of identification

Product code PCS-3460

Recommended use Deodorizer.

Recommended restrictions Professional use only.

Manufacturer/distributor/supplier/importer information

Company name Professional Cleaning Supply

Address

Tulsa 7925 E 40th St. Suite A
Tulsa, OK 74145

Phone (918) 250-9000

Oklahoma City 4301 SW 21st St.
Oklahoma City, OK 73108

Phone (405) 681-1822

Emergency phone number PERS 24-hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Flammable Liquids Category 4

Health hazards Skin irritation Category 3

Environmental hazards Not classified.

OSHA defined hazards None.

Label elements None.

Signal word **WARNING**

Hazard statement Combustible liquid.
Causes mild skin irritation.

Precautionary statement

Prevention Keep away from flames and hot surfaces. No smoking. Wear protective gloves/eye protection/face protection.

Response In case of fire: Use water fog, foam, or carbon dioxide (CO₂) to extinguish.
If skin irritation occurs: Get medical advice/attention.

Storage Store in a well-ventilated place.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None.

Supplemental information None

3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	65-75%
Fragrance	Proprietary	Fragrance Component	15-25%
Sodium Xylene Sulfonate	1300-72-7	Coupling Agent	1-5%
Benzyl Benzoate	120-51-4	Fragrance Component	1-5%
Sodium Sulfate	7757-82-6	Thickening Agent	0.1-1%
Linalool	78-70-6	Fragrance Component	0.1-1%
d-limonene	5989-27-5	Fragrance Component	0.1-1%
Lilial	80-54-6	Fragrance Component	0.1-1%

Geraniol	106-24-1	Fragrance Component	0.01-0.1%
Hydroxycitronellal	107-75-5	Fragrance Component	0.01-0.1%
Citronellol	106-22-9	Fragrance Component	0.01-0.1%
Myrcene	123-35-3	Fragrance Component	0.001-.01%
Benzyl Alcohol	100-51-6	Fragrance Component	0.001-.01%

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the instruction of medical personnel.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Provide widespread support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Carbon dioxide (CO ₂). Dry chemical powder, sand, or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.



SAFETY DATA SHEET

Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Do not manage, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks, and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

No information.

Biological limit values

No information.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Those with sensitive skin should wear protective gloves.

Other

None.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after managing the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State

Liquid.

Color

Milky white.

Odor

Mountain fresh.

Odor threshold

Not available.

pH	6-7
Melting/freezing point	Not available.
Initial boiling point and boiling range	212°F (100°C) estimated.
Flash point	202°F (94.5°C) estimated.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.0
Solubility in water	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames, and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Oxidizing agents, acids.
Hazardous decomposition products	Carbon dioxide, carbon monoxide.

11. Toxicological information

Information on routes of exposure	
Ingestion	Expected to be low ingestion hazard.
Inhalation	Expected to be a low inhalation hazard.
Skin contact	May cause mild skin irritation.
Eye contact	May cause eye irritation with prolonged contact.
Symptoms related to the physical, chemical, and toxicological characteristics	Dermatitis. Rash.
Acute toxicity	Not established.

Product Odor Eraser EXTREME (CAS mixture)		
Exposure Classification	Route and Species	Test threshold LD ₅₀ /LC ₅₀
Acute	Oral, rat	>5,000 mg/kg (estimated)
Acute	Inhalation, rat	>56 mg/L (estimated)
Acute	Dermal, rabbit	>7,200 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Causes mild skin irritation.
Serious eye damage/ irritation	Not available.
Respiratory sensitization	Not available.
Skin sensitization	Not available.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not expected to be a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity – single exposure	Not classified.
Specific target organ toxicity – repeated exposure	Not classified.
Aspiration hazard	May be harmful or fatal if product enters airways.

12. Ecological information

Ecotoxicity
<i>When used as prescribed, the components of this product do not pose substantive risk to stable aquatic environments. However, users should always avoid disposing of unused product into open waterways or stormwater management systems without prior consultation with regulatory authorities</i>

Persistence and degradability	No data available.
Bio-accumulative potential	Potential to bioaccumulation is expected to be low.
Mobility in soil	No data available. Chemicals of these classes are highly water soluble and will partition readily to water and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils
Other adverse effects	No other adverse environmental effects known (<i>i.e.</i> , <i>ozone depleting substance</i> , <i>tropospheric ozone precursor</i> , <i>greenhouse gas emission</i> , <i>endocrine disruptor</i> , or other deleterious environmental effect)

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company. As packaged, this product is not believed to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been accurately assessed and, as necessary, evaluated to confirm regulatory status.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

USDOT Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – Yes

Pressure Hazard – No

Reactivity Hazard – No

SARA 313 (TRI reporting) Not listed.

California Proposition 65



WARNING

This product can expose you to chemicals including Myrcene which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

Issue date 9/15/2022

Revision date

Version # 1

HMIS® ratings Health: 1
Flammability: 1
Physical hazard: 0

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA ratings Health: 1
Flammability: 1
Instability: 0



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information First issue.