

1. Identification

Product Identifier Orange Solv EXTREME

Other means of identification PCS-6235

Product code

Recommended use D-limonene based degreaser.

Recommended restrictions

Professional use only.

Manufacturer information

Company name Professional Cleaning Supply

Address

Tulsa 7925 E 40th St. Suite A

Tulsa, OK 74145

Oklahoma City 4301 SW 21st St.

Oklahoma City, OK 73108

Telephone

Tulsa (918) 250-9000 **Oklahoma City** (405) 681-1822

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Flammable Liquids Category 3 **Health hazards** Acute toxicity, oral Category 5 Skin irritation Category 2 Eye irritation Category 2A Aspiration Hazard Category 1 Skin Sensitization Category 1 **Environmental hazards** Very toxic to aquatic life - Short-Category 1

term

Very toxic to aquatic life – Category 1

Chronic effects

OSHA defined hazards

Label elements











Signal word DANGER

Hazard statement Flammable liquid and vapor

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction Causes serious eye irritation.

May be fatal if swallowed and enters airways. Very toxic to aquatic life -short term effects Very toxic to aquatic life with long-term effects

Precautionary statement

Prevention Keep away from heat, flames, sparks and hot surfaces. No smoking. Wash hands and

exposed skin thoroughly after handling. Wear protective gloves/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Ground and/or



bond container and receiving equipment. Use explosion-proof electrical equipment, tools and lighting where vapors can accumulate. Use non-sparking tools. Avoid conditions that may generate static electrical discharge. Avoid breathing dust, mists,

vapor or fume. Keep containers tightly closed when not dispensing liquid.

Response Call a POISON CENTER/doctor/medical professional if you feel unwell.

IF ON SKIN: Wash with plenty of water for 15 minutes. Specific treatment (see Section 4 on the Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use water fog, foam or carbon dioxide (CO₂) to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/medical professional. Do

NOT induce vomiting.

IN THE EVENT OF FIRE: Use suitable extinguishing media to quench fire.

Storage Store in a well-ventilated place. Keep cool. Store locked up. Keep containers tightly

closed.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information

None

3. Composition/information on ingredients

Mixtures			
Chemical name	CAS number	%	
D-limonene	5989-27-5	92-97	
Nonylphenol ethoxylate	127087-87-0	1-3	
Other components below reportable levels		1-3	

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema, rash or other skin disorders: Seek medical attention and take along these

instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do

so. Get medical attention if irritation develops and persists.

Ingestion Call a physician or Poison Control Center immediately. Rinse mouth. Get medical attention

if symptoms occur. Only induce vomiting at the instruction of medical personnel. In the event of involuntary vomiting keep the victim's head in a lowered position to avoid

stomach content entering the lungs. Monitor victim's airway to keep clear.

Most important

symptoms/effects, acute and

delayed

Dermatitis. Rash. May cause an allergic skin reaction. Seek medical attention is symptom

persist.

Causes severe eye irritation with symptoms of stinging, swelling, excessive tearing and/or

blurred vision

Aspiration may cause pulmonary edema and pneumonitis.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under

observation. Symptoms may be delayed.



General information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Removed contaminated clothing immediately. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Carbon dioxide (CO₂). Dry chemical powder, sand, or earth may be used

for small fires only.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this may spread liquid sourced fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of

Fire-fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if

you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

Environmental precautions

Avoid release to the environment. Inform supervisor or appropriate managerial personnel of all environmental releases. Avoid discharge into surface drainages, onto the ground and other areas not consistent with package labeling. This product is immiscible in water and spread across the surface of water. Prevent accumulation in closed or confined areas.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Protect material from direct sunlight. Use explosion proof equipment and nonsparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation using appropriate explosion-proof or intrinsically safe ventilation equipment. Take precautions against static discharges. Ensure that containers and



transfer and receiving equipment are properly grounded and/or bonded to prevent static build-up. Wear appropriate personal protective equipment. Wash hands thoroughly after

handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see

section 10 of the SDS). Store in areas with fire sprinkler system

8. Exposure controls/personal protection

Occupational exposure limits Workplace environmental Exposure Level (WEEL)

Guidelines

D-limonene TWA 30 ppm (165 mg/m³⁾

Biological limit values No biological exposure limit noted for the product ingredients

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use explosion-proof process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne

levels below recommended exposure limits. Provide a suitable eyewash and safety shower

for work areas that pose direct exposure risks

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is

recommended.

Respiratory protection In case of insufficient ventilation or absence of engineering controls, wear suitable

approved respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State Liquid.
Color Colorless.
Odor Citrus aroma
Odor threshold Not available.
PH Not available.
Melting/freezing point Not available.

Initial boiling point and

boiling range

300-410°F (148.9-210°C) estimated.

Flash point 117°F (47°C) (estimated)

Evaporation rate Not available. **Flammability** Not available.

Flammability Limits

Upper 6% - estimated. **Lower** 0.8% - estimated.

Vapor pressure 2 mmHg @ 20°C (estimated)

Material Name: Orange Solv EXTREME Page 4 of 8 SDS US



Not available. Vapor density

0.85 Specific gravity (water=1) Solubility in water Insoluble. Partition coefficient 4.250

(n-octanol/water)

458°F (237°C) **Auto-ignition temperature Decomposition temperature** Not available. Viscosity Not available.

10. Stability and reactivity

This product is stable and non-reactive under normal conditions of use. Reactivity **Chemical stability** Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

products

Hazardous polymerization does not occur.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding

the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents, acids.

Hazardous decomposition

Carbon dioxide and carbon monoxide can be generated during incomplete combustion. No

hazardous decomposition products are reported for product components.

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be low ingestion hazard.

Inhalation Prolonged inhalation may be harmful. Droplets of this product aspirated into the lungs may

cause serious chemical pneumonia.

Skin contact May cause mild skin irritation. May cause an allergic skin reaction.

Eve contact Causes serious eye irritation.

Symptoms related to the physical, chemical and

Dermatitis. Rash. Aspiration can cause pulmonary edema and pneumonitis May cause an allergic skin reaction. Seek medical attention if symptom persist.

toxicological characteristics Causes severe eye irritation with symptoms of stinging, swelling, excessive tearing and/or

blurred vision

Acute toxicity May be fatal if aspirated into lungs in substantial quantity.

Product Orange Solv EXTREME (CAS mixture)			
Exposure Classification	Route and Species	LD ₅₀	
Acute	Oral, mouse	5,690 mg/kg	
Acute	Dermal, rabbit	5 g/kg (estimated)	
*Estimates for product may be based on additional component data not shown			

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/ Causes serious eye irritation.

irritation

Not available. Respiratory sensitization Skin sensitization Not available.

Germ cell mutagenicity No data is available to indicate that product or any components present at greater than

0.1% are mutagenic or genotoxic.

Carcinogenicity The components of this product are not reported to be listed carcinogens.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.

SDS US Material Name: Orange Solv EXTREME Page 5 of 8



Reproductive toxicityThis product is not expected to cause reproductive or

developmental effects.

Specific target organ toxicity – single exposure
Specific target organ toxicity – repeated exposure

Not classified. Not classified.

Aspiration hazard

May be harmful or fatal if product enters airways.

12. Ecological information

Ecotoxicity			
Aquatic Receptor	Species	Test Threshold(s)	
Crustacea	Daphnia pulex (water flea)	67 mg/l (48-hours)	
Fish	Pimephales promelus (fathead minnow)	0.619 - 0.796 mg/l (96-hours)	
* Estimates for product may be based on additional component data not shown			

Persistence andNo data available. Chemicals of this class are not expected to be persistent in an open,

degradability

aerobic environment

Bioaccumulative potential

Potential to bioaccumulation is expected to be low.

Mobility in soil

No data available. Chemicals of these classes are expected to exhibit low to moderate

mobility in saturated and semi-saturated soils and partition as LNAPL in the soil

lithographic column

Other adverse effects This product contains limited volatile organic compounds that may contribute to

photochemical ozone impacts

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose of sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company. As packaged, this product is expected to meet criteria defining RCRA ignitable (D001) hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly

assessed and, as necessary, tested to confirm regulatory status.

Waste from residues/unused

product

Dispose of it in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

manner. (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

USDOT

UN number UN2319

UN proper shipping name Terpene hydrocarbons mixture, n.o.s

Transport hazard class(es) 3
Hazard Class 3
Subsidiary risk None
Packaging group III
Marine pollutant YES

Special precautions for user DOT-regulated Marine Pollutant (bulk and intermediate bulk shipment only)

Read safety instructions, SDS, and emergency procedures before handling.



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code DOT Label/Placard Not intended to be transported in bulk.



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed
SARA 304 Emergency release notification Not listed

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 313 (TRI reporting) Not listed

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

threshold determination and Safe Harbor notification (12/2023)

16. Other information, including date of preparation or last revision

Issue date 1/12/2024

Revision date

Version # 1

HMIS® ratings Health: 2

Flammability: 3 Physical hazard: 0



NFPA ratings Health: 2

Flammability: 3 Instability: 0





Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge

and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

by the text.

Revision information First issue.